


REV	DATE	REVISION DETAILS	INIT	IMPERIAL DIMENSIONS	LINK CONNECTORS Pty. Ltd.	A GORDON GROUP COMPANY
F	19.10.09	Redrawn in AutoCad.		NAME	TITLE	
				DATE	ADAPTOR - 'N' Jack to 'TNC' Plug	
			DRAWN	dgg	19.10.09	DRAWING No. B70-011F
			APPR'VD			ISSUE
			Metre bar		MATERIAL	NOTED
					FINISH	NOTED
TOLERANCE UNLESS OTHERWISE SPECIFIED: 2 fig decimal +/- .008" 3 fig decimal +/- .004" Angles +/- 1 deg						REF. DRGS. B70-007
						FIRST USE:
						SCALE 2:1

B70-011F

Key	Part No.	DESCRIPTION	Qty.	Material	Finish
1	11914-2	BODY	1	Brass	Nickel Plated
2	11875	CONTACT	1	Be. Cu	Gold Plated
3	11891-2	INSULATOR	1	P.T.F.E.	Natural
4	12033-1	ADAPTOR BODY	1	Brass	Nickel Plated
5	11960	BODY	1	Brass	Nickel Plated
6	11979-2	RETAINING RING	1	Brass	Nickel Plated
7	11986	CIRCLIP	1	Brass	Natural
8	11983	SEAL	1	Silicon Rubber	Red
9	12477	INSULATOR	1	P.T.F.E.	Natural
10	11984	SWIVEL NUT	1	Brass	Nickel Plated
11	12399-1	CONTACT PIN	1	Brass	Gold Plated
12		22 SWG WIRE x 19mm	1	Copper	Tin Plated

'N' & 'TNC' INTERFACES TO MEET MIL STD 348A DIMENSIONS



22SWG Tinned Copper Wire
Soft solder into item #2
Trim to length & Crimp or
Solder into Item #11 to
achieve specified dimension.

USE 'LOCTITE' TO SECURE ITEM #1, #4 & #5

COPYRIGHT RESERVED: THIS DRAWING IS THE SOLE PROPERTY OF LINK CONNECTORS P/L & IS RETURNABLE ON REQUEST. IT IS TO BE TREATED AS CONFIDENTIAL, IS NOT TO BE COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN CONSENT OF LINK CONNECTORS & MAY BE USED FOR MANUFACTURE, ONLY WHEN ACCOMPANIED BY A WRITTEN ORDER.